ELSEVIER

Brain Research 922 (2001) 315–317

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Sato, K. (922) 135
Adams, C.E., Stitzel, J.A., Collins, A.C. and Freedman, R.
α7-Nicotinic receptor expression and the anatomical organization of hippocampal interneurons (922) 180
Ago, T., see Kitayama, J. (922) 223
Aihara, H., Li, X., Fujiwara, S., Matsumura, T., Okumura, S., Tozaki, H., Kanno, T., Ohta, K., Nagai, K. and Nishizaki, T.
The protective action of nefiracetam against electrophysiological and metabolic damage in the hippocampus after deprivation of glucose and oxygen (922) 158
Alkadhi, K.A., see Gerges, N.Z. (922) 250
Ally, A., see Nauli, S.M. (922) 234
Amer, A., see Nauli, S.M. (922) 234
Asaba, K., see Mimoto, T. (922) 261
Azari, M.F., Galle, A., Lopes, E.C., Kurek, J. and Cheema, S.S.
Leukemia inhibitory factor by systemic administration rescues spinal motor neurons in the SOD1 G93A murine model of familial amyotrophic lateral sclerosis (922) 144

Balestrino, M., see Rebaudo, R. (922) 112
Bao, W.L., Williams, A.J., Faden, A.I. and Tortella, F.C.
Selective mGluR5 receptor antagonist or agonist provides neuroprotection in a rat model of focal cerebral ischemia (922) 173
Bär, P.R., see Van Westerlaak, M.G.H. (922) 243
Beani, L., see Siniscalchi, A. (922) 104
Bianchi, C., see Siniscalchi, A. (922) 104
Blier, P., see Szabo, S.T. (922) 9
Borrás, E., see Miralles, V.J. (922) 21
Buchner, H., see Klostermann, F. (922) 95
Buckton, G., Zibrowski, E.M. and Vanderwolf, C.H.
Effects of cyclazocine and scopolamine on swim-to-platform performance in rats (922) 229
Bytner, B., Huang, Y.-H., Yu, L.-C., Lundeberg, T., Nylander, I. and Rosen, A.
Nociceptin/orphanin FQ into the rat periaqueductal gray decreases the withdrawal latency to heat and loading, an effect reversed by (Nphe^{1})nociceptin(1–13)NH_2 (922) 118

Cavallini, S., see Siniscalchi, A. (922) 104
Chandrasekaran, K., Mehrabian, Z., Spinnewyn, B., Drieu, K. and Fiskum, G.
Neuroprotective effects of bilobalide, a component of the *Ginkgo biloba* extract (EGb 761), in gerbil global brain ischemia (922) 282
Chang, Y.S., see Park, W.S. (922) 276
Cheema, S.S., see Azari, M.F. (922) 144
Choi, C.-R., see Young Shin, C. (922) 267
Choi, J.-W., see Young Shin, C. (922) 267
Chung, S.H., see Park, W.S. (922) 276
Cohen, E., see Haimovici, A. (922) 125
Collins, A.C., see Adams, C.E. (922) 180
Cools, A.R., see Van Westerlaak, M.G.H. (922) 243
Curio, G., see Klostermann, F. (922) 95

Dallos, P., see Szönyi, M. (922) 65
Davis, A.M., see Perrot-Sinal, T.S. (922) 201
Davis, M.A., see Garry, M.G. (922) 163
Doi, K., see Kimura, N. (922) 30
Drieu, K., see Chandrasekaran, K. (922) 282
Duvauchelle, C.L., see Olsen, C.M. (922) 80

Faden, A.I., see Bao, W.L. (922) 173
Fewell, G., see Meredith, M. (922) 87
Fiskum, G., see Chandrasekaran, K. (922) 282
Freedman, R., see Adams, C.E. (922) 180
Fujishima, M., see Kitayama, J. (922) 223
Fujiwara, S., see Aihara, H. (922) 158

Galle, A., see Azari, M.F. (922) 144
García, C., see Miralles, V.J. (922) 21
Garry, M.G., Walton, L.P., Tanelian, D.L. and Davis, M.A.
Corrigendum to: Capsaicin-evoked release of immunoreactive calcitonin gene-related peptide from the spinal cord is mediated by nitric oxide but not by cyclic GMP. [Brain Res. 861 (2000) 208–219] (922) 163
Ge, J., see Xu, Z. (922) 191
Gerges, N.Z., Stringer, J.L. and Alkadhi, K.A.
Combination of hypothyroidism and stress abolishes early LTP in the CA1 but not dentate gyrus of hippocampus of adult rats (922) 250
Gluckman, P.D., see Sizonenko, S.V. (922) 42
Gobbele, R., see Klostermann, F. (922) 95
Gribnau, A.A.M., see Van Westerlaak, M.G.H. (922) 243
Grosche, J., see Wouterlood, F.G. (922) 310
Guillaumet, G., see Nicolas, L.B. (922) 216

Haimovici, A., Wang, Y., Cohen, E. and Mintz, M.
Social attraction between rats in open field: long-term consequences of kindled seizures (922) 125
Härtig, W., see Wouterlood, F.G. (922) 310
Hashimoto, K., see Mimoto, T. (922) 261
Hayashi, T., see Sato, K. (922) 135
He, D.Z.Z., see Szönyi, M. (922) 65
Hernández, A.I., see Martínez, M. (922) 148
Hernanz, A., see Martínez, M. (922) 148
Ho Ko, K., see Young Shin, C. (922) 267
Honda, T., see Kimura, N. (922) 30
Hong, S.H., see Park, W.S. (922) 276
Huang, Y.-H., see Bytner, B. (922) 118

Ibayashi, S., see Kitayama, J. (922) 223
Iwai, M., see Sato, K. (922) 135
Izvarina, N., see Rebaudo, R. (922) 112

Jenner, P., see Kunikowska, G. (922) 51
Jimenez-Linan, M. and Rubin, B.S.
Dynamic changes in luteinizing hormone releasing hormone transcriptional activity are associated with the steroid-induced LH surge (922) 71
Jin, S., see Zhu, X. (922) 293
Joosten, E.A.J., see Van Westerlaak, M.G.H. (922) 243
Ju, C., see Young Shin, C. (922) 267

Kanno, T., see Aihara, H. (922) 158
Kawamura, S., see Kimura, N. (922) 30
Kim, H.-C., see Young Shin, C. (922) 267

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03274-7

Kim, W.-K., see Young Shin, C. (922) 267
Kimura, N., Nakamura, S.-i., Honda, T., Takashima, A., Nakayama, H., Ono, F., Sakakibara, I., Doi, K., Kawamura, S. and Yoshikawa, Y. Age-related changes in the localization of presenilin-1 in cynomolgus monkey brain (922) 30
Kitayama, J., Kitazono, T., Yao, H., Ooboshi, H., Takaba, H., Ago, T., Fujishima, M. and Ibayashi, S. Inhibition of Na^+/H^+ exchanger reduces infarct volume of focal cerebral ischemia in rats (922) 223
Kitazono, T., see Kitayama, J. (922) 223
Klostermann, F., Gobbele, R., Buchner, H., Siedenberg, R. and Curio, G. Differential gating of slow postsynaptic and high-frequency spike-like components in human somatosensory evoked potentials under isometric motor interference (922) 95
Konakova, M. and Pulst, S.M. Immunocytochemical characterization of torsin proteins in mouse brain (922) 1
Krug, M., see Rüthrich, H.-L. (922) 153
Kumamaru, E., see Nakamura, Y. (922) 209
Kumar, P. and Raju, T.R. Seizure susceptibility decreases with enhancement of rapid eye movement sleep (922) 299
Kunikowska, G. and Jenner, P. 6-Hydroxydopamine-lesioning of the nigrostriatal pathway in rats alters basal ganglia mRNA for copper, zinc- and manganese-superoxide dismutase, but not glutathione peroxidase (922) 51
Kurek, J., see Azari, M.F. (922) 144

Lee, M., see Park, W.S. (922) 276
Lee, W.L., see Zhu, X. (922) 293
Li, F., see Sato, K. (922) 135
Li, X., see Aihara, H. (922) 158
Lopes, E.C., see Azari, M.F. (922) 144
Lundeberg, T., see Bytner, B. (922) 118

Maher, T.J., see Nauli, S.M. (922) 234
Manabe, Y., see Sato, K. (922) 135
Marino, S., see Siniscalchi, A. (922) 104
Martínez, M., Hernández, A.I. and Hernanz, A. Increased cAMP immunostaining in cerebral vessels in Alzheimer's disease (922) 148
Martínez-López, I., see Miralles, V.J. (922) 21
Matsumura, T., see Aihara, H. (922) 158
McCarthy, M.M., see Perrot-Sinal, T.S. (922) 201
Mehrabian, Z., see Chandrasekaran, K. (922) 282
Melani, R., see Rebaudo, R. (922) 112
Meredith, M. and Fewell, G. Vomeronasal organ: electrical stimulation activates Fos in mating pathways and in GnRH neurons (922) 87
Mimoto, T., Nishioka, T., Asaba, K., Takao, T. and Hashimoto, K. Effects of adrenomedullin on adrenocorticotropic hormone (ACTH) release in pituitary cell cultures and on ACTH and oxytocin responses to shaker stress in conscious rat (922) 261
Mintz, M., see Haimovici, A. (922) 125
Miralles, V.J., Martínez-López, I., Zaragozá, R., Borrás, E., García, C., Pallardó, F.V. and Viña, J.R. Na^+ dependent glutamate transporters (EAAT1, EAAT2, and EAAT3) in primary astrocyte cultures: effect of oxidative stress (922) 21
Miyazaki, H., Nagashima, K., Okuma, Y. and Nomura, Y. Expression of glial cell line-derived neurotrophic factor induced by transient forebrain ischemia in rats (922) 165
Mortaud, S., see Nicolas, L.B. (922) 216

Nagai, K., see Aihara, H. (922) 158
Nagashima, K., see Miyazaki, H. (922) 165
Nakamura, S.-i., see Kimura, N. (922) 30
Nakamura, Y., Yamamoto, M. and Kumamaru, E. Significance of the variant and full-length forms of the very low density lipoprotein receptor in brain (922) 209
Nakayama, H., see Kimura, N. (922) 30
Nauli, S.M., Pearce, W.J., Amer, A., Maher, T.J. and Ally, A. Effects of nitric oxide and GABA interaction within ventrolateral medulla on cardiovascular responses during static muscle contraction (922) 234
Ng, Y.K., see Zhu, X. (922) 293
Nicolas, L.B., Pinoteau, W., Papot, S., Routier, S., Guillaumet, G. and Mortaud, S. Aggressive behavior induced by the steroid sulfatase inhibitor COUMATE and by DHEAS in CBA/H mice (922) 216
Nishioka, T., see Mimoto, T. (922) 261
Nishizaki, T., see Aihara, H. (922) 158
Nomura, Y., see Miyazaki, H. (922) 165
Nylander, I., see Bytner, B. (922) 118

Ohta, K., see Aihara, H. (922) 158
Okuma, Y., see Miyazaki, H. (922) 165
Okumura, S., see Aihara, H. (922) 158
Olsen, C.M. and Duvauchelle, C.L. Intra-prefrontal cortex injections of SCH 23390 influence nucleus accumbens dopamine levels 24 h post-infusion (922) 80
Ono, F., see Kimura, N. (922) 30
Ooboshi, H., see Kitayama, J. (922) 223

Pallardó, F.V., see Miralles, V.J. (922) 21
Papot, S., see Nicolas, L.B. (922) 216
Park, W.S., Chang, Y.S., Chung, S.H., Seo, D.W., Hong, S.H. and Lee, M. Effect of hypothermia on bilirubin-induced alterations in brain cell membrane function and energy metabolism in newborn piglets (922) 276
Pearce, W.J., see Nauli, S.M. (922) 234
Pekarek, E., see Xu, Z. (922) 191
Perrot-Sinal, T.S., Davis, A.M. and McCarthy, M.M. Developmental sex differences in glutamic acid decarboxylase (GAD_{65}) and the housekeeping gene, GAPDH (922) 201
Pinoteau, W., see Nicolas, L.B. (922) 216
Pulst, S.M., see Konakova, M. (922) 1

Raju, T.R., see Kumar, P. (922) 299
Rebaudo, R., Melani, R., Balestrino, M. and Izvarina, N. Electrophysiological effects of sustained delivery of CRF and its receptor agonists in hippocampal slices (922) 112
Ribári, O., see Szönyi, M. (922) 65
Rodi, D., see Siniscalchi, A. (922) 104
Rosen, A., see Bytner, B. (922) 118
Routier, S., see Nicolas, L.B. (922) 216
Rubin, B.S., see Jimenez-Linan, M. (922) 71
Rüthrich, H.-L. and Krug, M. Early effects on restoration of evoked field potentials in the hippocampal CA_1 region after reversible hypoxia/hypoglycemia by the radical scavenger *N-tert.*-butyl-α-phenylnitron (922) 153

Sakakibara, I., see Kimura, N. (922) 30
Sasaki, C., see Sato, K. (922) 135
Sato, K., Hayashi, T., Sasaki, C., Iwai, M., Li, F., Manabe, Y., Seki, T. and Abe, K. Temporal and spatial differences of PSA-NCAM expression between young-adult and aged rats in normal and ischemic brains (922) 135
Schindler, C.J., Šlamberová, R. and Vathy, I. Prenatal morphine exposure decreases susceptibility of adult male rat offspring to bicuculline seizures (922) 305
Seki, T., see Sato, K. (922) 135
Seo, D.W., see Park, W.S. (922) 276
Siedenberg, R., see Klostermann, F. (922) 95
Siniscalchi, A., Rodi, D., Cavallini, S., Marino, S., Beani, L. and Bianchi, C. Effects of cholecystokinin tetrapeptide (CCK_4) and anxiolytic drugs on the

electrically evoked [^{3}H]5-hydroxytryptamine outflow from rat cortical slices (922) 104
Sirimanne, E.S., see Sizonenko, S.V. (922) 42
Sizonenko, S.V., Sirimanne, E.S., Williams, C.E. and Gluckman, P.D. Neuroprotective effects of the N-terminal tripeptide of IGF-1, glycine-proline-glutamate, in the immature rat brain after hypoxic–ischemic injury (922) 42
Šlamberová, R., see Schindler, C.J. (922) 305
Sook Jang, E., see Young Shin, C. (922) 267
Spinnewyn, B., see Chandrasekaran, K. (922) 282
Stitzel, J.A., see Adams, C.E. (922) 180
Stringer, J.L., see Gerges, N.Z. (922) 250
Szabo, S.T. and Blier, P. Functional and pharmacological characterization of the modulatory role of serotonin on the firing activity of locus coeruleus norepinephrine neurons (922) 9
Sziklai, I., see Szönyi, M. (922) 65
Szönyi, M., He, D.Z.Z., Ribári, O., Sziklai, I. and Dallos, P. Intracellular calcium and outer hair cell electromotility (922) 65

Takaba, H., see Kitayama, J. (922) 223
Takao, T., see Mimoto, T. (922) 261
Takashima, A., see Kimura, N. (922) 30
Tanelian, D.L., see Garry, M.G. (922) 163
Tortella, F.C., see Bao, W.L. (922) 173
Tozaki, H., see Aihara, H. (922) 158

Vanderwolf, C.H., see Buckton, G. (922) 229
Van Westerlaak, M.G.H., Joosten, E.A.J., Gribnau, A.A.M., Cools, A.R. and Bär, P.R. Differential cortico-motoneuron vulnerability after chronic mitochondrial inhibition in vitro and the role of glutamate receptors (922) 243
Vathy, I., see Schindler, C.J. (922) 305
Viña, J.R., see Miralles, V.J. (922) 21

Walton, L.P., see Garry, M.G. (922) 163
Wang, R.-Y., Yang, Y.-R. and Yu, S.-M. Protective effects of treadmill training on infarction in rats (922) 140
Wang, Y., see Haimovici, A. (922) 125
Williams, A.J., see Bao, W.L. (922) 173
Williams, C.E., see Sizonenko, S.V. (922) 42
Wong, P.T.H., see Zhu, X. (922) 293
Wouterlood, F.G., Grosche, J. and Härtig, W. Co-localization of calretinin and calbindin in distinct cells in the hippocampal formation of the rat (922) 310

Xu, Z., Pekarek, E., Ge, J. and Yao, J. Functional relationship between subfornical organ cholinergic stimulation and cellular activation in the hypothalamus and AV3V region (922) 191

Yamamoto, M., see Nakamura, Y. (922) 209
Yang, Y.-R., see Wang, R.-Y. (922) 140
Yao, H., see Kitayama, J. (922) 223
Yao, J., see Xu, Z. (922) 191
Yoshikawa, Y., see Kimura, N. (922) 30
Young Shin, C., Choi, J.-W., Sook Jang, E., Ju, C., Kim, W.-K., Kim, H.-C., Choi, C.-R. and Ho Ko, K. Dehydroepiandrosterone inhibits the death of immunostimulated rat C6 glioma cells deprived of glucose (922) 267
Yu, L.-C., see Bytner, B. (922) 118
Yu, S.-M., see Wang, R.-Y. (922) 140

Zaragozá, R., see Miralles, V.J. (922) 21
Zhu, X., Jin, S., Ng, Y.K., Lee, W.L. and Wong, P.T.H. Positive and negative modulation by AMPA- and kainate-receptors of striatal kainate injection-induced neuronal loss in rat forebrain (922) 293
Zibrowski, E.M., see Buckton, G. (922) 229